

BLADE HOLDERS

Part #	Description	550	5280	6280	6280HD	Rogue	Ride-On	Viking
Blade Holders								
7280-12	12" Blade Holder				X			
7280-14	14" Blade Holder				X			
7280-6GV	6" Grooved Blade Holder				X	X		
7280-10GV	10" Grooved Blade Holder				X	X		
6280-505	Swivel Blade Holder	X	X	X				
7050-6	6" Blade Holder						X	
7050-8	8" Blade Holder						X	
7050-10	10" Blade Holder						X	
7050-12	12" Blade Holder						X	
7050-14	14" Blade Holder						X	
7050-27	27" Blade Holder						X	
Viking								X
Razor Blade Holders								
6280-500	Swivel Razor Blade Holder	X	X	X				
7280-6RBH-GV	6" Grooved Razor Blade Holder				X	X		
7280-10RBH-GV	10" Grooved Razor Blade Holder				X	X		
7280-12RBH	12" Razor Blade Holder				X			
7050-8RBH	8" Razor Blade Holder						X	
7050-12RBH	12" Razor Blade Holder						X	
7050-14RBH	14" Razor Blade Holder						X	

Part #	Description	550	5280	6280	6280HD	Rogue	Ride-On	Viking
Attachments/Accessories								
7280-2C	Soft Goods 30° Angle Attachment				X			
402276	Hard Goods 9° Angle Attachment				X			
7280-4	Retainer Cap Assembly				X			
7074	Tile Box <i>Needs 7050-27</i>						X	
402239	Retaining Pin Replacement						X	
73422	Blade Holder Bolt						X	

SHANKS

FOR HARD GOODS REMOVAL



Straight Shanks

Designed with or without a ceramic tip, these shanks remove ceramic, wood, and thick epoxy. They are ideally suited for brick paver removal.

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On
7070-2	2" x 4" x .500"						X
7070-3	3" x 4" x .500"						X
7070-4	4" x 4" x .500"						X
7070-6	6" x 4" x .500"						X
Straight Shanks with Carbide Tip							
7072-2	2" x 4" x .500"						X
7072-3	3" x 4" x .500"						X
7072-4	4" x 4" x .500"						X
7072-6	6" x 4" x .500"						X

Wood Floor Shanks

The longer taper on this shank creates the ideal tool for wood floors. Available for Riders, the 6280HD, and Rogue.

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On
7075-8	2" x 8" x .300"						X
7075-11	2" x 11" x .300"						X
7077-8	3.5" x 8" x .300"						X
7077-11	3.5" x 11" x .300"						X
7082-8GV	2.5" x 8", Grooved				X	X	

Angle Shanks

Available with and without a carbide tip, these shanks are designed to remove ceramic, wood, and thick epoxy.

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On
7071-2	2" x 4" x .500"						X
7071-3	3" x 4" x .500"						X
7071-4	4" x 4" x .500"						X
Angle Shanks with Carbide Tip							
552	2" x 4" x .312"	X					
552GV	2" x 6" x .500", Grooved				X	X	
7079-2	2" x 6" x .500"						X
7079-4	4" x 6" x .500"						X
7079-6	6" x 6" x .500"						X
7281-1GV	1" x 6" x .500", Grooved				X	X	
7281-12	2" x 4" x .312"				X		
7281-2GV	2" x 6" x .500", Grooved				X	X	

A 551 shank holder is required to attach the 552 shank to the 550 walk-behind scraper.

Ultra HD Angle Shank w/ Removable Carbide Tip

For removing hard goods with your ride-on scraper, this shank features removable and sharpenable carbide tips. For maximum efficiency, the operator can exchange tips and sharpen them later.

Part #	Includes
403112	2" Ultra HD shanks, 3 carbide tips, set screws and tool
407394 PK3	3 carbide tips, set screws, and tool
402601	Sharpening holder; designed for efficiency, this will allow you to safely hold the carbide tip while it is sharpened

BLADES

FOR SOFT AND HARD GOODS REMOVAL

Flat Blades

Available in varying dimensions these flat blades are a must-have for VCT, VAT, wood, tile, epoxy, elastomeric coatings, scraping thin-set, and glued ceramic

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On	Viking
Premium High Tempered								
135	5" x 16" x .062"			X	X	X		
136	5" x 8" x .062"			X	X	X		
147	4" x 6" x .062"		X	X	X	X		
148	5" x 6" x .062"			X	X	X		
7050-200	3" x 6" x .062"	X	X	X	X	X		
7050-201	3" x 8" x .062"	X	X	X	X	X		
7050-202	3" x 10" x .062"	X	X	X	X	X		
7050-203	3" x 12" x .062"		X	X	X	X		
7050-204	3" x 14" x .062"			X	X	X		
7050-205	3" x 27" x .062"						X	
Heavy-Duty Blades								
6240	4" x 6" x .094"			X	X	X	X	
6241	4" x 8" x .094"			X	X	X	X	
6242	4" x 12" x .094"			X	X	X	X	
6243	4" x 15" x .094"			X	X	X	X	
6244	4" x 24" x .094"						X	
6245	4" x 10" x .094"			X	X	X	X	
6246	4" x 27" x .094"						X	
6281	3" x 8" x .094"			X	X	X	X	
6282	3" x 14" x .094"			X	X	X	X	
6283	3" x 27" x .094"						X	
6284	3" x 12" x .094"			X	X	X	X	
6285	3" x 6" x .094"	X		X	X	X	X	
6286	3" x 10" x .094"			X	X	X	X	
Extra Heavy-Duty Blades								
6270	1-1/2" x 3" x .250						X	X
6271	3" x 6" x .250						X	X
6273	3" x 11" x .250						X	X
6290	3" x 6" x .187						X	X
6291	3" x 8" x .187						X	X
6292	3" x 12" x .187						X	X
6293	3" x 14" x .187						X	X
6294	3" x 27" x .187						X	X
6298	3" x 19" x .187"							X

Guillotine Blades®

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On	Viking
6285-GT	3.75" x 6" x .094"			X	X	X	X	
6284-GT	3.75" x 12" x .094"			X	X	X	X	
6290-GT	3.75" x 6" x .187"						X	X
6292-GT	3.75" x 12" x .187"						X	X

1-Inch Blades

Designed for VCT and adhesive re-scrape. They also work well for parking deck coatings, epoxy, and elastomeric coatings.

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On
7091	1" x 4" x .094"				X	X	X
7092	1" x 8" x .094"				X	X	X
7093	1" x 10" x .094"				X	X	X
7094	1" x 12" x .094"				X	X	X

This blade requires a razor blade cutting head.

Razor/Scrapper Blades

Designed for superhard thin epoxies, thin mil coatings (like urethane paint), poured elastomeric coatings up to 60 mil, and hard to remove adhesives.

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On
363-2	.750" x 8" x .032"	X	X	X	X	X	X
368-8	.937" x 8" x .045"	X	X	X	X	X	X
368-12	.937" x 12" x .045"		X	X	X	X	X
368-15	.937" x 15" x .045"		X	X	X	X	X

Sold in packs of 50.

This blade requires a razor blade cutting head

Unique Blades

Part #	Dimensions (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On
Blades with Slots							
130-S	3" x 10" x .062"	X	X	X	X	X	
131-S	3" x 16" x .062"			X	X	X	
Double Edge Blades							
130-D	3" x 10" x .062"	X	X	X	X	X	
147-D	4" x 6" x .062"		X	X	X	X	
148-D	5" x 6" x .062"			X	X	X	
Increased Angle Blades							
7081	3" x 10" x .062"	X	X	X	X	X	
7083	3" x 8" x .062"	X	X	X	X	X	



Self-Scoring Blades

These angled self-scoring blades work on attached cushion, vinyl back, soft to medium PVC, linoleum, carpet tiles, soft cork, and more .

Part #	Description (W x L x Thickness)	550	5280	6280	6280HD	Rogue	Ride-On	Viking
Bevel Up, 90 degree (for concrete subfloor)								
6247-BU	: Blade, Self-scoring 90 degree 4" x 10" x .094", BU		X		X	X	X	
6248-BU	: Blade, Self-scoring, 90 degree, 4" x 24" x .094", BU						X	
6249-BU	: Blade, Self-scoring, 90 degree, 4" x 12" x .094", BU		X	X	X		X	
6255-BU	Blade, Self-scoring, 90 degree, 4" x 6" x .062", BU		X	X	X	X		
6257-BU	Blade, Self-scoring, 90 degree, 3" x 9" x .062", BU	X	X		X	X		
6258-BU	Blade, Self-scoring, 90 degree, 3" x 12" x .062", BU		X	X	X	X		
6259-BU	: Blade, Self-scoring, 90 degree, 3" x 14" x .062", BU			X	X	X		
Bevel Up, 45 Degree Angle (for concrete subfloor)								
6276-BU	Blade, Self-scoring 45 degree 3" x 10" x .094", BU	X			X	X	X	
6277-BU	Blade, Self-scoring 45 degree 3" x 12" x .094", BU		X	X	X	X	X	
6278-BU	Blade, Self-scoring 45 degree 3" x 14" x .094", BU			X	X	X	X	
6279-BU	Blade, Self-scoring 45 degree 3" x 27" x .094", BU						X	
6295	Blade, Self-scoring, 45 degree 3" x 12" x .188", BU							X
6296	Blade, Self-scoring, 45-45 degree 3" x 12" x .188", BU							X
6297	Blade, Self-Scoring, 45-45 degree 3" x 17.5" x .188", BU							X
Bevel Down, 90 degree (for wood subfloor)								
6260-BD	Blade, Self-scoring, 90 degree, 3" x 6" x .094", BD				X	X	X	
6265-BD	Blade, Self-scoring, 90 degree, 3" x 8" x .094", BD				X	X	X	
6266-BD	Blade, Self-scoring, 90 degree, 3" x 10" x .094", BD				X	X	X	
4" Tall Wings								
6256-BU:	* Blade, Self-scoring, 90 degree, 4" x 6" x .062" x 4"h, BU		X	X	X	X		
6261-BU:	* Blade, Self-scoring 90 degree, 3" x 12" x .062" x 4"h, BU			X	X	X		
6262-BU:	** Blade, Self-scoring 90 degree, 4" x 6" x .094" x 4"h, BU			X	X	X	X	
6264-BU:	** Blade, Self-scoring 90 degree, 3" x 12" x .094" x 4"h, BU			X	X	X	X	

BLADE KITS



5170 BLADE KIT

Blade Kit for the 550

INCLUDES:

- 147: 4" x 6" x .062" Flat Blade
- 6285: 3" x 6" x .094 Heavy Duty Flat Blade
- 7050-202: 3" x 10" x .062" Premium High Tempered Blade
- 6265-BD: 3" x 8" x .094" 90° Bevel Down Self-Scoring Blade



5174 BLADE KIT

Blade Kit for the 6280HD Gladiator

INCLUDES:

- 6265-BD: 3" x 8" x .094" 90° Bevel Down Self-Scoring Blade
- 6276-BU: 3" x 10" x .094" 45° Bevel Up Self-Scoring Blade
- 7050-200: 3" x 6" x .062" Premium High Tempered Blade
- 7280-2C: 30° Soft Goods Angle Attachement
- 7280-4: Retainer Cap Assembly
- 7280-6: 6" Cutting Head
- 7281-1: 6" x 1" x .500" Carbide Tipped Angle Shank



5175 BLADE KIT

Blade Kit for the 4230, 5200QL, 5700, 7700, 5625, and 8000

INCLUDES:

- 6277-BU: 3" x 12" x .094" 45° Bevel Up Self-Scoring Blade
- 6284: 3" x 12" x .094" Heavy Duty Flat Blade
- 7050-12: 12" Cutting Head
- 7079-2: 6" x 2" x .500" Carbide Tipped Angle Shank



5176 BLADE KIT

Blade Kit for the 2900 and 5000

INCLUDES:

- 6277-BU: 3" x 12" x .094" 45° Bevel Up Self-Scoring Blade
- 6284: 3" x 12" x .094" Heavy Duty Flat Blade
- 7050-12: 12" Cutting Head



5177 BLADE KIT

Blade Kit for the Rogue

INCLUDES:

- 7050-200: 3" x 6" x .062" Premium High Tempered Blade
- 7280-6GV: 6" Cutting Head
- 7082-8GV: 2.5" x 8" Wood Floor Shank
- 7281-1GV: 6" x 1" x .500" Carbide Tipped Angle Shank