



**WACKER
NEUSON**
all it takes!

BV50A-H

5100041314

[Home](#) >> [Catalog](#) >> [Products](#) >> [Concrete Technology](#) >> [Internal Vibrators](#) >> [Backpack & Pole Vibrators](#) >> **BV50A-H**



BV50A-H

Material number 5100041314

Portable gasoline vibrator with ergonomic backpack for operator comfort.

Product details

- Perfect fit
- No power cords required
- High operator comfort
- Easy starting
- 10,000 vibrations per minute

Comes with

- operator's manual

Technical specifications

BV50A-H

ENGINE	Imperial	Metric
Cylinder	1	1
Power rating max.	2,1 hp	1,6 kW
Cooling	air cooling	air cooling
Standard (Power max.)	SAE J1349	SAE J1349
Engine Manufacturer	Honda	Honda
Oil specification	SAE 10W-30 API SJ	SAE 10W-30 API SJ
Cylinder capacity	3,0 Inch ³	49 cm ³
Kraftstofftyp	Gasoline	Gasoline
Fuel consumption	0,2 GPH US	0,77 L/Std
Engine speed (Power max.)	7.000 1/min	7.000 1/min
Starter type	Recoil starter	Recoil starter
Engine type	Gasoline engine	Gasoline engine

MECHANICAL - OUTPUT DETAILS	Imperial	Metric
Vibrations	11.580 1/min	11.580 1/min

MECHANICAL DETAILS	Imperial	Metric
Length Flexible shaft	9.842,5 Foot	3.000,0 m
Length Head	1,8 "	45 mm
Length	23,0 "	584 mm
Height	23,0 "	584 mm
Width	16,0 "	406 mm
Weight	29,10 lb	13,20 kg

Please Note

This product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the started power may vary due to specific operating conditions. Subject to alterations and errors expected. Applicable also to illustrations.

Copyright © 2023 Wacker Neuson SE